

Court Integration Services

Warrant Status Update Electronic Submission Service

Consumer Documentation

Copyright © 2008, 2012 by the State of Minnesota State Court Administrator's Office All Rights Reserved

Table of Contents

1. DOC	DOCUMENT REVISION HISTORY			
2. PRE	FACE	3		
3. OVE	ERVIEW	3		
4. MES	SSAGES	3		
4.1. Su	ubmission Message	4		
4.1.1.	Message Definition			
4.1.2.	Message Details	4		
4.1.3.	Message Validation	4		
4.2. R	esponse Message	5		
4.2.1.	Message Definition	5		
4.2.2.	Message Details	5		
5. USA	\GE	5		
5.1. A	uthorization	5		
5.1. A	accessing the Service	5		
6. TRO	OUBLESHOOTING	6		
6.1. Message Retention				
6.2. Pr	roblem Resolution Steps	6		
ΔΡΡΕΝΟΙ	IX A: VALIDATION FRRORS	7		

1. Document Revision History

Date	Author	Revision Highlights	
1/2/08	R. Rowan	Document created.	
2/15/08	R. Rowan	Changed to new format; Added Validation Error Table.	
3/18/08	R. Rowan	Updated validation error for "warrant not found".	
2/14/12	R. Gosewisch	Updated the 'Message Details' section to reflect the need for the warrant status values allowed by this service to be configured with a default warrant location in MNCIS. This is a requirement of the Odyssey API now being used to accomplish the update - the message schema currently does not accommodate a warrant status location.	

2. Preface

This document describes the MNCIS Warrant Status Update electronic submission service.

See the <u>Integration Services Technical Overview</u> document for additional information on how to use Integration Services.

See the <u>E-Filing Technical Overview</u> document for information that applies to electronic filing services in general.

3. Overview

This service allows an authorized court business partner to submit a warrant status update to MNCIS, the court case management system. For instance, the jail can use this service to let the court know that the subject has been arrested and the warrant is no longer active. A successful Warrant Status Update generates a notification of the status change that is sent to subscribing agencies.

The Warrant Status Update Service is just one of the services in the Court Integration Service Catalog. Refer to the Service Catalog link on the Court Integration Services website for a complete list of available services.

4. Messages

The Warrant Status Update submission service uses the SOAP message structure. See the Integration Services Technical Overview document for more information on the general format for Integration Services messages.

Refer to the Integration Services website for the most current version of the schema for this service. That CourtXML schema has the most up to date structure for this submission message.

Sample submission and response messages are available on the Integration Services website.

4.1. Submission Message

The input message to this service is referred to as a *submission* message.

4.1.1. Message Definition

SOAP Action: http://www.courts.state.mn.us/IS/02/SubmitUpdateWarrantStatus

Schema: WarrantStatus_3_1.xsd Root Element: UpdateWarrantStatus

4.1.2. Message Details

Refer to the schema for this service to learn about the data that is included in the submission message, as well as any MNCIS code value enumerations that this service uses.

This service only allows certain specific statuses to be submitted. These warrant status values are specified by the enumeration of the NewWarrantStatus/WarrantStatusTypeText element defined in the schema.

This service requires the submitter to include the current warrant status and the date of that current status. This safeguard prevents the submitter from overlaying a status that is more current than the new warrant status that is being submitted.

The warrant status values allowed by this service must be configured in MNCIS with a default warrant status *location* at the node (court) that 'owns' the warrant. Potential e-file submitters should contact their local court administration to determine whether this configuration is in place.

Message Correlation:

Message correlation functionality may be used with Warrant Status Update Service submission messages. This functionality allows the Warrant Status Update Service message to be submitted with a correlation identifier (in lieu of a case number) that represents a prior e-filed case initiation message. Warrant Status Update Service messages may only be correlated to case initiating e-files (i.e. complaint, tab charge or citation). Refer to the E-Filing Technical Overview document for information about e-filing correlation functionality.

4.1.3. Message Validation

Some of the validation applied to a submission message, (such as schema validation) is performed by the state Integration Broker (IB), and some validation is performed after the message is submitted from the IB to MNCIS.

It is possible for a submission message to pass schema validation, but fail some business edits enforced by MNCIS.

Some IB validation is common to all query request and e-file submission messages. Refer to the <u>Integration Service Technical Overview</u> document for information on this validation and the resulting SOAP fault errors that can occur.

Some additional validation is common to all e-file submission messages. Refer to the MNCIS <u>E-Filing Technical Overview</u> document for information on this validation and the resulting SOAP fault errors that can occur. This document also provides a high-level message flow diagram for submission messages.

Refer to Appendix A in this document for a list of validation errors that are specific to the Warrant Status Update Service submission service.

4.2. Response Message

The output message from this service is referred to as a *response* message.

4.2.1. Message Definition

Refer to the <u>Integration Service Technical Overview</u> document for information regarding the different options for receiving response messages.

Push SOAP Action: http://www.courts.state.mn.us/IS/02/SubmitUpdateWarrantStatusResponse Pull SOAP Action: http://www.courts.state.mn.us/IS/02/PullHeldUpdateWarrantStatusResponse

Release SOAP Action: http://www.courts.state.mn.us/IS/02/ReleaseHeldUpdateWarrantStatusResponse

Schema: WarrantStatus 3 1.xsd

Root Element: UpdateWarrantStatusResponse

4.2.2. Message Details

Refer to the schema for this service to learn about the data that is included in the response message.

5. Usage

5.1. Authorization

A consumer must be granted a specific right to use the Warrant Status Update electronic submission service. Refer to the <u>Integration Access Rights to MNCIS Case Records</u> document, available on the Court Integration Services website - http://www.mncourts.gov/is - for an overview of the process for requesting access to use court integration services.

5.1. Accessing the Service

Warrant Status Update messages may be submitted as IBM MQ Series messages, or through the use of a web service. Refer to the <u>Integration Services Technical Overview</u> document for information on these methods.

6. Troubleshooting

6.1. Message Retention

Submission and response messages are retained for a period of time to assist with troubleshooting. The Warrant Status Update Service adheres to the general message retention policy for submission messages that can be found in the MNCIS <u>E-Filing Technical Overview</u> document.

6.2. Problem Resolution Steps

Review the <u>Integration Services Technical Overview</u> document for general steps that can be taken to resolve issues with the use of this service.

Appendix A: Validation Errors

- See the message schema for the full response message structure.
- Refer to the <u>E-Filing Technical Overview</u> document for other SOAP fault type errors that can occur with submission messages.

#	Туре	Error Code	Error Text	Description/Resolution
1	System		Current Status on EFile does not	The current status of the warrant in
	Rejection		match Current Status on	MNCIS is different than the current
	Response		Warrant.	status submitted with the message.
				Note: This service requires the
				submitter to know the current
				warrant status and to include it in
				the submission message. This
				prevents the submission from
				overlaying a current status that was
				entered after the new status that
				the submitter is trying to submit.
2	System		[warrant status] is not a valid	The new warrant status is not valid
	Rejection		uWrntStat at node [node id]	at the court node for which it was
	Response			submitted.
3	System	66	A Warrant Status Date and Time	The new warrant status being
	Rejection		combination is invalid because	submitted cannot have a date/time
	Response		[SIC] it is in the future.	that is in the future.
4	SOAP	soap:InvalidMessage	WarrantStatusTypeText	The message specifies a Warrant
	Fault		element is invalid - The value	Status Type that is not valid for the
			['Warrant Status'] is invalid	court node at which the case is
			according to its datatype 'String'	assigned.
			- The Enumeration constraint	
			failed.	
5	SOAP	Soap:	Warrant Not Found	The specified warrant number does
	Fault	CaseNotFound		not exist on a case MNCIS.